

PD-34403R

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Pisces

PD-34403R

**PRODUCT DESCRIPTION**

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

**FEATURES**

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field


**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL, Damp Location Listed
<b>Input</b>	120-277V, 50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Spun aluminum frame with alabaster shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34403R 12" - 3 Lights	2700K/3000K/ 90	23W 23W	1145 1145	AB Aged Brass
	2700K/3000K/ 90			BK Black
	2700K/3000K/ 90			
	2700K/3000K/ 90			

Example: **PD-34403R-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-34405R

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Pisces

PD-34405R

**PRODUCT DESCRIPTION**

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

**FEATURES**

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field


**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Spun aluminum frame with alabaster shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34405R Lights	17" - 5	41W	1820	AB Aged Brass
		41W	1820	BK Black
		2700K/3000K/		
		90		
	2700K/3000K/			
	90			

Example: **PD-34405R-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-34409R

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



## Pisces

PD-34409R

**PRODUCT DESCRIPTION**

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

**FEATURES**

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field



**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Spun aluminum frame with alabaster shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34409R 17" - 9 Lights	2700K/3000K/ 90	69W 69W	3435 3435	AB Aged Brass BK Black
	2700K/3000K/ 90			

Example: **PD-34409R-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-34415R

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Pisces

PD-34415R

**PRODUCT DESCRIPTION**

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

**FEATURES**

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field


**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Spun aluminum frame with alabaster shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34415R 23" - 15 Lights	2700K/3000K/	115W	5725	AB Aged Brass
	90	115W	5725	BK Black
	2700K/3000K/			
	90			

Example: **PD-34415R-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-34421R

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



## Pisces

PD-34421R

**PRODUCT DESCRIPTION**

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

**FEATURES**

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. or supported independently of the outlet box

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	2700K/3000K/3500K/4000K
<b>CRI</b>	90
<b>Construction</b>	Spun aluminum frame with alabaster shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34421R 26" - 21 Lights	2700K/3000K/	161W	8015	AB Aged Brass
	90	161W	8015	BK Black
	2700K/3000K/			
	90			

Example: **PD-34421R-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)