

PD-35613S

Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Magic

PD-35613S

PRODUCT DESCRIPTION

Crafted from sparkling Piastra crystal, these pendants are installed in various arrangements to create an artful statement as well as deliver ample lighting to spaces throughout a home or business.

FEATURES

- Driver concealed within the canopy
- Cylindrical Piastra crystal shades
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Aluminum body with Crystalized Piastra art glass.


REPLACEMENT PARTS

RPL-GLA-12620 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-35613S 20" - 13 Lights	3000K 90 3000K 90	72W 72W	4900 4900	BK Black PN Polished Nickel

Example: **PD-35613S-PN**

For custom requests please contact customs@modernforms.com



PD-356255

Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Magic

PD-35625S

PRODUCT DESCRIPTION

Crafted from sparkling Piastra crystal, these pendants are installed in various arrangements to create an artful statement as well as deliver ample lighting to spaces throughout a home or business.

FEATURES

- Driver concealed within the canopy
- Cylindrical Piastra crystal shades
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 25 and 41 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 and 125 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Aluminum body with Crystalized Piastra art glass.



REPLACEMENT PARTS

RPL-GLA-12620 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-35625S 28" - 25 Lights	3000K 90 3000K 90	138W 138W	9423 9423	BK Black PN Polished Nickel

Example: **PD-35625S-PN**

For custom requests please contact customs@modernforms.com



PD-35641S


Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Magic

PD-35641S

PRODUCT DESCRIPTION

Crafted from sparkling Piastra crystal, these pendants are installed in various arrangements to create an artful statement as well as deliver ample lighting to spaces throughout a home or business.

FEATURES

- Driver concealed within the canopy
- Cylindrical Piastra crystal shades
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 25 and 41 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 and 125 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277V, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Aluminum body with Crystalized Piastra art glass.

REPLACEMENT PARTS

RPL-GLA-12620 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-35641S 36" - 41 Lights	3000K 90 3000K 90	227W 227W	15454 15454	BK Black PN Polished Nickel

Example: **PD-35641S-PN**
 For custom requests please contact customs@modernforms.com